

Annex B: Table over animal health visits and sampling completed in the period 1st July 2021 to 30th June 2023:

Random aquaculture establishment ID-number	CHR-number ⁱ	Number of health visits per approved aquaculture establishment (i)	Number of samplings per approved aquaculture establishment (ii)	Number of animals sampled at each sampling (iii)	Species sampled (iv)	Results from each laboratory examination (v)	Results from each clinical inspection (vi)	Water temperature at the time of sampling (vii)
1	CHR 103387	1 ⁱⁱ	1	75	Atlantic salmon	Negative	Healthy fish	Below 14 °C
2	CHR 103482	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
3	CHR 103483	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
4	CHR 103484	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
5	CHR 103485	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
6	CHR 103486	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
7	CHR 103487	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
8	CHR 103488	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
9	CHR 103495	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
10	CHR 103497	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
11	CHR 103500	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
12	CHR 103501	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C

13	CHR 103503	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
14	CHR 103516	1 ⁱⁱⁱ	1	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
15	CHR 103521	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
16	CHR 105117	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
17	CHR 105119	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
18	CHR 105120	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
19	CHR 108240	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
20	CHR 120371	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
21	CHR 120749	4	4	75	Atlantic salmon	Negative	Healthy fish	Below 14 °C
22	CHR 121348	4	4	75	Rainbow trout	Negative	Healthy fish	Below 14 °C
23	CHR 128093	4	4	75	Atlantic salmon	Negative	Healthy fish	Below 14 °C

ⁱ Establishment number in the Danish [Central Husbandry Register](#)

ⁱⁱ The aquaculture establishment was empty in the period 1st January 2022 to 30th June 2023, due to a fire on the establishment, which has not yet been repopulated.

ⁱⁱⁱ The aquaculture establishment was empty in the period 1st July 2021 to 31st December 2022. The aquaculture establishment was repopulated, visited and sampled in 2023.